

VP1	VP2	VP3	VP0	AP1	AP2	AP3	AP0	Wp	PF	Vs1	Vs2	Vs3	Vs0	As1	As2	As3	As0	Vs0 AS0	VP0 AP0	h	ε	Temp-up
(V)	(V)	(V)	(V)	(mA)	(mA)	(mA)	(mA)	(W)		(V)	(V)	(V)	(V)	(A)	(A)	(A)	(A)	(VA)	(VA)	(%)	(%)	°C

⑤ 3EΔY 54-11U 3φ:3φ 200V:19.5V 0.89A (30 VA 目安) 測定(8)EI型 Δ:Y 外形 FH 5421BR x 3 図

200.6	200.7	200.8	200.6	20.85	20.49	20.71	20.80	4.56	0.5441	21.78	21.84	21.92	21.84	0	0	0	0					
200.0	201.2	201.3	201.0	110.5	110.3	111.3	111.3	38.20	0.8586	19.34	19.37	19.47	19.41	0.895	0.898	0.899	0.895	30.11	38.76	76.68	(12.6)	32/30
224.2	224.7	224.3	224.2	26.23	25.75	25.91	26.16	5.64	0.4812	24.32	24.47	24.42	24.39	0	0	0	0					
224.2	225.2	224.9	224.9	124.7	124.6	124.1	124.2	48.05	0.8585	21.78	21.65	21.66	21.72	1.013	1.011	1.007	1.010	38.01	48.39	78.55	(12.3)	37/35
249.2	250.7	249.6	249.1	35.68	35.39	36.01	36.27	7.15	0.3998	27.11	27.25	27.36	27.20	0	0	0	0					
248.7	250.4	249.8	249.9	139.1	138.4	138.9	139.1	59.16	0.8528	23.89	24.04	24.02	23.99	0.113	1.111	1.115	0.114	46.29	60.22	76.87	(13.5)	44/44
272.5	274.1	272.5	272.3	60.65	59.04	59.30	59.18	9.10	0.2838	29.70	29.78	29.84	29.73	0	0	0	0					
272.8	275.5	274.3	273.6	153.8	153.4	154.4	154.0	71.26	0.8423	26.13	26.26	26.21	26.15	1.214	1.217	1.218	1.216	55.12	73.02	75.48	(13.7)	53/52

⑥ 3EΔY 54-11G 3φ:3φ 220V:21V 1A (36 VA 目安) 測定(8)EI型 Δ:Y 外形 FH 5421BR x 3 図

207.1	207.9	208.0	207.4	17.53	18.43	18.89	18.27	1.29	0.1684	22.67	22.63	22.75	22.73	0	0	0	0					
207.1	207.1	207.6	207.7	105.9	106.5	105.1	105.7	37.86	0.9911	202.8	20.36	20.33	20.27	0.9244	0.9326	0.9276	0.9266	32.53	38.05	85.50	(12.2)	20/18
225.2	226.1	225.9	225.1	25.56	26.89	27.33	26.35	1.67	0.1421	24.65	24.61	24.73	24.71	0	0	0	0					
225.8	225.0	225.5	225.4	116.6	117.7	117.1	116.9	45.35	0.9845	22.03	22.04	22.00	21.95	1.0083	1.0091	1.0061	1.0173	38.68	45.68	84.68	(12.6)	25/22
247.7	248.1	248.2	248.1	37.25	38.49	39.18	38.22	2.36	0.1255	26.99	26.96	27.07	27.00	0	0	0	0					
247.5	248.1	248.3	248.7	128.3	129.8	129.2	128.3	53.62	0.9728	24.00	24.01	24.07	24.15	1.1027	1.0082	1.1053	1.1017	46.08	55.31	83.30	(11.8)	30/27
270.7	271.3	270.9	270.8	56.01	56.82	59.55	58.22	3.65	0.1149	29.61	29.51	29.80	29.71	0	0	0	0					
270.6	271.0	271.3	271.0	143.0	145.1	144.7	144.4	64.52	0.9554	26.22	26.19	26.18	26.27	1.1991	1.2079	1.2070	1.2035	54.77	67.81	80.77	(13.1)	35/33

